

## AERO® 407 PROMOTER, AQUEOUS

Revision Date 06/07/2019

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

- Trade name AERO® 407 PROMOTER, AQUEOUS

**1.2 Relevant identified uses of the substance or mixture and uses advised against****Uses of the Substance / Mixture**

- Mining chemicals

**1.3 Details of the supplier of the safety data sheet****Company**

CYTEC INDUSTRIES INC.  
504 CARNEGIE CENTER  
PRINCETON, NJ 08540 USA  
Telephone: +1-973-357-3193

**1.4 Emergency telephone**

FOR EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CONTACT CHEMTREC (24-Hour Number): 800-424-9300 within the United States and Canada, or 703-527-3887 for international collect calls.

**Disclaimer**

The ® indicates a Registered Trademark in the United States and the ™ indicates a trademark in the United States. The mark may also be registered, subject of an application for registration, or a trademark in other countries.

**SECTION 2: Hazards identification**

Although OSHA has not adopted the environmental portion of the GHS regulations, this document may include information on environmental effects.

**2.1 Classification of the substance or mixture****HCS 2012 (29 CFR 1910.1200)**

Corrosive to Metals, Category 1  
Skin corrosion, Category 1  
Serious eye damage, Category 1  
Skin sensitization, Category 1

H290: May be corrosive to metals.  
H314: Causes severe skin burns and eye damage.  
H318: Causes serious eye damage.  
H317: May cause an allergic skin reaction.

**2.2 Label elements****HCS 2012 (29 CFR 1910.1200)****Pictogram****Signal Word**

- Danger

**Hazard Statements**

PRCO90072766

Version : 3.02 / US ( Z8 )

www.solvay.com



**AERO® 407 PROMOTER, AQUEOUS**

Revision Date 06/07/2019

- H290 May be corrosive to metals.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.

**Precautionary Statements**Prevention

- P234 Keep only in original container.
- P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
- P264 Wash skin thoroughly after handling.
- P272 Contaminated work clothing must not be allowed out of the workplace.
- P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

- P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
- P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. If skin irritation or rash occurs: Get medical advice/ attention.
- P333 + P313 Wash contaminated clothing before reuse.
- P363 Absorb spillage to prevent material damage.
- P390

Storage

- P405 Store locked up.
- P406 Store in corrosive resistant container with a resistant inner liner.

Disposal

- P501 Dispose of contents/ container to an approved waste disposal plant.

**2.3 Other hazards which do not result in classification**

- H402: Harmful to aquatic life.
- H411: Toxic to aquatic life with long lasting effects.

**SECTION 3: Composition/information on ingredients****3.1 Substance**

- Not applicable, this product is a mixture.

**3.2 Mixture**

- Chemical nature Mineral processing reagent

**Hazardous Ingredients and Impurities**

Chemical name	Identification number CAS-No.	Concentration [%]
Benzothiazole compound	*****	20 - 25
Thiophosphate	*****	<= 13
Sodium hydroxide (Na(OH))	1310-73-2	<= 0.6

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

**SECTION 4: First aid measures****4.1 Description of first-aid measures**

PRCO90072766

Version : 3.02 / US ( Z8 )

www.solvay.com



**In case of inhalation**

- Quickly move the person away from the contaminated area. Make the affected person rest.
- Immediate medical attention is required.
- Show this sheet to the doctor.
- Be prepared to provide first aid or medical support if necessary.

**In case of skin contact**

- Wash off immediately with plenty of water for at least 15 minutes.
- Use appropriate protective equipment when treating a contaminated person.
- Immediate medical attention is required.
- Show this sheet to the doctor.
- Be prepared to provide first aid or medical support if necessary.

**In case of eye contact**

- Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- Keep eye wide open while rinsing.
- Show this sheet to the doctor.
- Always obtain medical advice, even if there are no symptoms.
- Be prepared to provide first aid or medical support if necessary.

**In case of ingestion**

- Do NOT induce vomiting.
- Immediate medical attention is required.
- Show this sheet to the doctor.
- Do not give anything to drink.
- Be prepared to provide first aid or medical support if necessary.

**4.2 Most important symptoms and effects, both acute and delayed****Effects**

- Chronic exposure may cause allergic dermatitis.
- Exposure may cause allergic rhinitis, conjunctivitis, asthma or shock.
- If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.
- In case of inhalation, irritation/corrosion of the respiratory tract.
- May cause irreversible skin damage.
- Chronic exposure may cause dermatitis.
- May cause irreversible eye damage.
- Loss of the eye

**Symptoms**

- Breathing difficulties
- Irritation
- Redness
- Swelling of tissue
- May cause respiratory tract irritation.
- allergic rhinitis
- Severe allergic skin reactions, bronchospasm and anaphylactic shock
- Itching
- Causes skin burns.
- Lachrymation
- Conjunctivitis
- Causes eye burns.
- The gas deadens the sense of smell. Do not depend on odor to detect presence of gas.

**4.3 Indication of any immediate medical attention and special treatment needed**

**Notes to physician**

- Take victim immediately to hospital.
- Immediate medical attention is required.
- Consult with an ophthalmologist immediately in all cases.
- Burns must be treated by a physician.
- Treat symptomatically.
- Keep under medical supervision for at least 48 hours.

**SECTION 5: Firefighting measures**

**Flash point** > 200 °F (> 93 °C)  
Seta closed cup

**Autoignition temperature** No data available

**Flammability / Explosive limit** No data available

**5.1 Extinguishing media****Suitable extinguishing media**

- Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Unsuitable extinguishing media**

- High volume water jet

**5.2 Special hazards arising from the substance or mixture****Specific hazards during fire fighting**

- Under fire conditions:
- Will burn
- On combustion, toxic gases are released.
- In the presence of water, forms corrosive solutions.

**Hazardous combustion products:**

- Sulfur dioxide or hydrogen sulfide may be formed under fire conditions.

**5.3 Advice for firefighters****Special protective equipment for fire-fighters**

- In the event of fire, wear self-contained breathing apparatus.
- Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
- Wear a positive-pressure supplied-air respirator with full facepiece.
- For further information refer to section 8 "Exposure controls / personal protection."

**Specific fire fighting methods**

- Cool containers/tanks with water spray.
- Do not use a solid water stream as it may scatter and spread fire.

**Further information**

- Do not flush to sewer which may contain acid.
- This could result in generation of toxic and flammable hydrogen sulfide.

**AERO® 407 PROMOTER, AQUEOUS**

Revision Date 06/07/2019

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

- Where exposure level is not known, wear approved, positive pressure, self-contained respirator.
- Where exposure level is known, wear approved respirator suitable for level of exposure.
- Avoid contact with the skin and the eyes.
- In addition to the protective clothing/equipment in Section 8, wear a two piece PVC suit with hood or PVC overalls with hood.

**6.2 Environmental precautions**

- Stop the leak. Turn leaking containers leak-side up to prevent the escape of liquid.
- Contain the spilled material by diking.
- Do not let product enter drains.
- Do not allow uncontrolled discharge of product into the environment.
- Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies

**6.3 Methods and materials for containment and cleaning up**

- Stop leak if safe to do so.
- Keep in properly labeled containers.
- Keep in suitable, closed containers for disposal.
- Wash nonrecoverable remainder with large amounts of water.
- Soak up with inert absorbent material and dispose of as hazardous waste.
- Decontaminate tools, equipment and personal protective equipment in a segregated area.
- Dispose of in accordance with local regulations.
- Never return spills in original containers for re-use.

**6.4 Reference to other sections**

- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 13. DISPOSAL CONSIDERATIONS

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

- To avoid product degradation and equipment corrosion, do not use iron, copper or aluminum containers or equipment.
- This material corrodes aluminum at a rate greater than 6.25 mm (0.25 inch) a year at a test temperature of 55 °C (130 °F). It is thus considered to be a Class 8 Corrosive for transportation purposes.
- Do not release to water.
- Large quantities of undiluted product should not be mixed with acids, since evolution of toxic and flammable hydrogen sulfide could result. In particular, precautions must be taken to avoid the accidental discharge of large volumes of the product in acid storage tanks or any tank or containment containing acidic materials. This precaution does not, of course, apply to addition of this reagent to flotation pulps in amounts customarily used in flotation, where the reagent amounts are small and instantly diluted to concentrations well below the solubility limits.

## AERO® 407 PROMOTER, AQUEOUS

Revision Date 06/07/2019

**Hygiene measures**

- Handle in accordance with good industrial hygiene and safety practice.
- Wash hands before breaks and at the end of workday.
- When using do not eat, drink or smoke.
- Eye wash bottles or eye wash stations in compliance with applicable standards.
- Ensure that eyewash stations and safety showers are close to the workstation location.

**7.2 Conditions for safe storage, including any incompatibilities****Technical measures/Storage conditions**

- Store in accordance with local regulations.
- Do not freeze.

**Requirements for storage rooms and vessels**

**Recommended storage temperature:** 68 °F (20 °C)

- To guarantee the quality and properties of the product keep according to Storage temperature and conditions.

**7.3 Specific end use(s)**

- no data available

**SECTION 8: Exposure controls/personal protection**

Introductory Remarks: These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

**8.1 Control parameters****Components with workplace occupational exposure limits**

Components	Value type	Value	Basis
Sodium hydroxide (Na(OH))	C	2 mg/m <sup>3</sup>	National Institute for Occupational Safety and Health
Sodium hydroxide (Na(OH))	C	2 mg/m <sup>3</sup>	American Conference of Governmental Industrial Hygienists
Sodium hydroxide (Na(OH))	TWA	2 mg/m <sup>3</sup>	Occupational Safety and Health Administration - Table Z-1 Limits for Air Contaminants
Sodium hydroxide (Na(OH))	C	2 mg/m <sup>3</sup>	

## AERO® 407 PROMOTER, AQUEOUS

Revision Date 06/07/2019

**NIOSH IDLH (Immediately Dangerous to Life or Health Concentrations)**

Components	CAS-No.	Concentration
Sodium hydroxide (Na(OH))	1310-73-2	10 milligram per cubic meter

**8.2 Exposure controls****Control measures****Engineering measures**

- Ensure adequate ventilation.
- Apply technical measures to comply with the occupational exposure limits.

**Individual protection measures****Respiratory protection**

- Keep in a well-ventilated place.

**Hand protection**

- Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).
- Impervious gloves

***Suitable material***

- Nitrile or fluorinated rubber gloves.

**Eye protection**

- Chemical resistant goggles must be worn.
- Tightly fitting safety goggles

**Skin and body protection**

- Impervious clothing
- Full protective suit
- Change working clothes after each work-shift.
- Contaminated work clothing should not be allowed out of the workplace.

**Hygiene measures**

- Handle in accordance with good industrial hygiene and safety practice.
- Wash hands before breaks and at the end of workday.
- When using do not eat, drink or smoke.
- Eye wash bottles or eye wash stations in compliance with applicable standards.
- Ensure that eyewash stations and safety showers are close to the workstation location.

**SECTION 9: Physical and chemical properties**

Physical and Chemical properties here represent typical properties of this product. Contact the business area using the Product information phone number in Section 1 for its exact specifications.

**9.1 Information on basic physical and chemical properties****Appearance**

Physical state: liquid  
Color: yellow-green.

**Odor**

sulfur

**Odor Threshold**

No data available

## AERO® 407 PROMOTER, AQUEOUS

Revision Date 06/07/2019

<b><u>Molecular weight</u></b>	Mixture
<b><u>pH</u></b>	> 12.0 minimum
<b><u>Melting point/freezing point</u></b>	<u>Freezing point</u> : 19 °F (-7 °C)
<b><u>Initial boiling point and boiling range</u></b>	<u>Boiling point/boiling range</u> : 217 °F (103 °C)
<b><u>Flash point</u></b>	> 200 °F (> 93 °C) Seta closed cup
<b><u>Evaporation rate (Butylacetate = 1)</u></b>	No data available
<b><u>Flammability (solid, gas)</u></b>	No data available
<b><u>Flammability (liquids)</u></b>	No data available
<b><u>Flammability / Explosive limit</u></b>	No data available
<b><u>Autoignition temperature</u></b>	No data available
<b><u>Vapor pressure</u></b>	No data available
<b><u>Vapor density</u></b>	No data available
<b><u>Density</u></b>	1.165 g/cm <sup>3</sup> ( 77 °F (25 °C))
<b><u>Relative density</u></b>	No data available
<b><u>Solubility</u></b>	<u>Water solubility</u> : completely soluble
<b><u>Partition coefficient: n-octanol/water</u></b>	No data available
<b><u>Decomposition temperature</u></b>	No data available
<b><u>Viscosity</u></b>	No data available
<b><u>Explosive properties</u></b>	No data available
<b><u>Oxidizing properties</u></b>	Not considered as oxidizing.

**9.2 Other information**

<b><u>Corrosion of Metals</u></b>	Corrosive to metals
<b><u>Peroxides</u></b>	The substance or mixture is not classified as organic peroxide.
<b><u>Reactions with water / air</u></b>	Contact with acids liberates very toxic gas.



## AERO® 407 PROMOTER, AQUEOUS

Revision Date 06/07/2019

**SECTION 10: Stability and reactivity****10.1 Reactivity**

- no data available

**10.2 Chemical stability**

- Stable

**10.3 Possibility of hazardous reactions**

- no data available

**10.4 Conditions to avoid**

- no data available

**10.5 Incompatible materials**

- Strong acids and oxidizing agents
- Mineral acids.

**10.6 Hazardous decomposition products****Hazardous decomposition products**

- Carbon dioxide (CO<sub>2</sub>)

**Thermal decomposition**

- Metal oxides
- Sulfur oxides
- Carbon monoxide
- Nitrogen oxides (NO<sub>x</sub>)

**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity****Acute oral toxicity**

Not classified as hazardous for acute oral toxicity according to GHS.  
According to the available data on the components.  
According to the classification criteria for mixtures.  
Unpublished reports and/or published data.

**Acute inhalation toxicity**

Not classified as hazardous for acute inhalation toxicity according to GHS.  
According to the available data on the components.  
According to the classification criteria for mixtures.  
Unpublished reports and/or published data.

**Acute dermal toxicity**

Not classified as hazardous for acute dermal toxicity according to GHS.  
According to the available data on the components.  
According to the classification criteria for mixtures.  
Unpublished reports and/or published data.

**Acute toxicity (other routes of administration)**

Not applicable

**AERO® 407 PROMOTER, AQUEOUS**

Revision Date 06/07/2019

**Skin corrosion/irritation**

Corrosive to skin  
According to the available data on the components.  
According to the classification criteria for mixtures.  
Unpublished reports and/or published data.

**Serious eye damage/eye irritation**

Risk of serious damage to eyes.  
According to the available data on the components.  
According to the classification criteria for mixtures.  
Unpublished reports and/or published data.

**Respiratory or skin sensitization**

Does not cause skin sensitization.  
According to the available data on the components.  
According to the classification criteria for mixtures.  
Unpublished reports and/or published data.

Does not cause respiratory sensitization.  
According to the available data on the components.  
According to the classification criteria for mixtures.  
Unpublished reports and/or published data.

**Mutagenicity****Genotoxicity in vitro**

Product is not considered to be genotoxic  
According to the available data on the components.  
According to the classification criteria for mixtures.  
Unpublished reports and/or published data.

**Genotoxicity in vivo**

Product is not considered to be genotoxic  
According to the available data on the components.  
According to the classification criteria for mixtures.  
Unpublished reports and/or published data.

**Carcinogenicity**

The product is not considered to be carcinogenic.  
According to the available data on the components.  
According to the classification criteria for mixtures.  
Unpublished reports and/or published data.

This product does not contain any ingredient designated as probable or suspected human carcinogens by:

NTP  
IARC  
OSHA

**Toxicity for reproduction and development****Toxicity to reproduction / fertility**

The product is not considered to affect fertility.,According to the available data on the components.  
According to the classification criteria for mixtures.  
Unpublished reports and/or published data.

**Developmental Toxicity/Teratogenicity**

The product is not considered to be toxic for development.,According to the available data on the components.  
According to the classification criteria for mixtures.  
Unpublished reports and/or published data.

**AERO® 407 PROMOTER, AQUEOUS**

Revision Date 06/07/2019

**STOT****STOT-single exposure**

The substance or mixture is not classified as specific target organ toxicant, single exposure according to GHS criteria.  
According to the available data on the components.  
According to the classification criteria for mixtures.  
Unpublished reports and/or published data.

**STOT-repeated exposure**

The substance or mixture is not classified as specific target organ toxicant, repeated exposure according to GHS criteria.  
According to the available data on the components.  
According to the classification criteria for mixtures.  
Unpublished reports and/or published data.

The product itself has not been tested.

**Experience with human exposure****Experience with human exposure : Inhalation**

In contact with acid

Symptoms: Released substances:  
Hydrogen sulphide  
Inhalation may provoke the following symptoms:  
Irritating to the respiratory system and mucous membranes.  
Coma  
cardiorespiratory failure  
Neurological disorders  
Gastrointestinal disturbance

**Experience with human exposure : Skin contact**

No data is available on the product itself.

**Experience with human exposure : Eye contact**

No data is available on the product itself.

**Experience with human exposure : Ingestion**

No data is available on the product itself.

**CMR effects****Carcinogenicity**

Benzothiazole compound

Not classified as a carcinogen according to GHS criteria

**Mutagenicity**

Benzothiazole compound

Not classified as mutagen according to GHS criteria.

**Teratogenicity**

Benzothiazole compound

Not classified as toxic for the reproduction (development) according to GHS criteria

**Reproductive toxicity**

Benzothiazole compound

Not classified as toxic for the reproduction (fertility and/or development) according to GHS criteria

**AERO® 407 PROMOTER, AQUEOUS**

Revision Date 06/07/2019

**Aspiration toxicity**

No aspiration toxicity classification, According to the available data on the components, According to the classification criteria for mixtures.

**SECTION 12: Ecological information****12.1 Toxicity****Aquatic Compartment****Acute toxicity to fish**

LC50 - 96 h : 13.4 mg/l - Lepomis macrochirus (Bluegill sunfish)  
semi-static test  
Method: OECD Test Guideline 203  
Published data

**Acute toxicity to daphnia and other aquatic invertebrates**

The product itself has not been tested.

**Toxicity to aquatic plants**

The product itself has not been tested.

**Toxicity to microorganisms**

The product itself has not been tested.

**Chronic toxicity to fish**

The product itself has not been tested.

**Chronic toxicity to daphnia and other aquatic invertebrates**

The product itself has not been tested.

**Sediment compartment****Toxicity to benthic organisms**

The product itself has not been tested.

**Terrestrial Compartment****Toxicity to soil dwelling organisms**

The product itself has not been tested.

**Toxicity to terrestrial plants**

The product itself has not been tested.

**Toxicity to above ground organisms**

The product itself has not been tested.

**M-Factor**

Benzothiazole compound

Acute aquatic toxicity = 1  
Chronic aquatic toxicity = 1  
( according to the Globally Harmonized System (GHS) )

## AERO® 407 PROMOTER, AQUEOUS

Revision Date 06/07/2019

**12.2 Persistence and degradability****Abiotic degradation**

<b>Stability in water</b>	Conclusion is not possible for a mixture as a whole.
<b>Photodegradation</b>	Conclusion is not possible for a mixture as a whole.
<b>Other Physicochemical reactions</b>	Conclusion is not possible for a mixture as a whole.

**Physical- and photo-chemical elimination**

<b>Physico-chemical removability</b>	Conclusion is not possible for a mixture as a whole.
--------------------------------------	--

**Biodegradation****Biodegradability**

Benzothiazole compound

By analogy

Ready biodegradability study:

Method: OECD Test Guideline 301C

- 14 d

The substance does not fulfill the criteria for ready biodegradability and ultimate aerobic biodegradability

Theoretical oxygen demand

Inoculum: activated sludge

Unpublished reports

Sodium hydroxide (Na(OH))

Not applicable, inorganic substance

**Ratio BOD / COD**

Conclusion is not possible for a mixture as a whole.

**Ratio BOD / ThOD**

Conclusion is not possible for a mixture as a whole.

**Biochemical Oxygen Demand (BOD)**

Conclusion is not possible for a mixture as a whole.

**Dissolved organic carbon (DOC)**

Conclusion is not possible for a mixture as a whole.

**Chemical Oxygen Demand (COD)**

Conclusion is not possible for a mixture as a whole.

**Adsorbed organic bound halogens (AOX)**

Conclusion is not possible for a mixture as a whole.

**Degradability assessment**

Conclusion is not possible due to incomplete or heterogeneous data on the components

**12.3 Bioaccumulative potential****Partition coefficient: n-octanol/water**

Conclusion is not possible for a mixture as a whole.

## AERO® 407 PROMOTER, AQUEOUS

Revision Date 06/07/2019

**Bioconcentration factor (BCF)** As bioaccumulation is not relevant for mixtures, all the components of the mixture were assessed individually.  
None of the components are considered to be potentially bioaccumulable  
Unpublished reports  
Published data

**12.4 Mobility in soil**

**Adsorption potential (Koc)** Conclusion is not possible for a mixture as a whole.

**Known distribution to environmental compartments** Ultimate destination of the product: Water  
internal evaluation

**12.5 Results of PBT and vPvB assessment**

According to the available data on the components  
This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

**12.6 Other adverse effects****Ecotoxicity assessment**

**Short-term (acute) aquatic hazard** Harmful to aquatic life.  
According to the available data on the components.  
According to the classification criteria for mixtures.  
Unpublished reports and/or published data.

**Long-term (chronic) aquatic hazard** Toxic to aquatic life with long lasting effects.  
According to the available data on the components.  
According to the classification criteria for mixtures.  
Unpublished reports and/or published data.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product Disposal**

- The Company encourages the recycle, recovery and reuse of materials, where permitted. If disposal is necessary, The Company recommends that organic materials, especially when classified as hazardous waste, be disposed of by thermal treatment or incineration at approved facilities. All local and national regulations should be followed.

**SECTION 14: Transport information**

Transportation status: IMPORTANT! Statements below provide additional data on listed transport classification.  
The listed Transportation Classification does not address regulatory variations due to changes in package size, mode of shipment or other regulatory descriptors.

**DOT**

PRCO90072766  
Version : 3.02 / US ( Z8 )

www.solvay.com



## AERO® 407 PROMOTER, AQUEOUS

Revision Date 06/07/2019

<b>14.1 UN number</b>	UN 1760
<b>14.2 Proper shipping name</b>	CORROSIVE LIQUIDS, N.O.S. (Dithiophosphate salt, Benzothiazole compound)
<b>14.3 Transport hazard class</b>	8
Label(s)	8
<b>14.4 Packing group</b>	II
Packing group	II
ERG No	154
<b>14.5 Environmental hazards</b>	YES
<b>Marine pollutant</b>	Marine Pollutant (Benzothiazole compound)

**TDG**

<b>14.1 UN number</b>	UN 1760
<b>14.2 Proper shipping name</b>	CORROSIVE LIQUID, N.O.S. (Dithiophosphate salt, Benzothiazole compound)
<b>14.3 Transport hazard class</b>	8
Label(s)	8
<b>14.4 Packing group</b>	II
Packing group	II
ERG No	154
<b>14.5 Environmental hazards</b>	YES
<b>Marine pollutant</b>	Marine Pollutant (Benzothiazole compound)

**NOM**

<b>14.1 UN number</b>	UN 1760
<b>14.2 Proper shipping name</b>	CORROSIVE LIQUID, N.O.S. (Dithiophosphate salt, Benzothiazole compound)
<b>14.3 Transport hazard class</b>	8
Label(s)	8
<b>14.4 Packing group</b>	II
Packing group	II
ERG No	154
<b>14.5 Environmental hazards</b>	YES
<b>Marine pollutant</b>	

**IMDG**

<b>14.1 UN number</b>	UN 1760
-----------------------	---------

**AERO® 407 PROMOTER, AQUEOUS**

Revision Date 06/07/2019

<b>14.2 Proper shipping name</b>	CORROSIVE LIQUID, N.O.S. (Dithiophosphate salt, Benzothiazole compound)
IMDG Code segregation group	alkalis
<b>14.3 Transport hazard class</b>	8
Label(s)	8
<b>14.4 Packing group</b>	
Packing group	II
<b>14.5 Environmental hazards</b>	YES
<b>Marine pollutant</b>	
<b>14.6 Special precautions for user</b>	
EmS	F-A , S-B
For personal protection see section 8.	

**IATA**

<b>14.1 UN number</b>	UN 1760
<b>14.2 Proper shipping name</b>	CORROSIVE LIQUID, N.O.S. (Dithiophosphate salt, Benzothiazole compound)
<b>14.3 Transport hazard class</b>	8
Label(s):	8
<b>14.4 Packing group</b>	
Packing group	II
Packing instruction (cargo aircraft)	855
Max net qty / pkg	30.00 L
Packing instruction (passenger aircraft)	851
Max net qty / pkg	1.00 L
<b>14.5 Environmental hazards</b>	YES
<b>14.6 Special precautions for user</b>	
For personal protection see section 8.	

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transportation regulations for hazardous materials, it would be advisable to check their validity with your sales office.



## AERO® 407 PROMOTER, AQUEOUS

Revision Date 06/07/2019

**SECTION 15: Regulatory information****15.1 Notification status**

Inventory Information	Status
United States TSCA Inventory	- All substances listed as active on the TSCA inventory
EU. European Registration, Evaluation, Authorisation and Restriction of Chemical (REACH)	- When purchased from a Solvay legal entity based in the EEA ("European Economic Area"), this product is compliant with the registration provisions of the REACH Regulation (EC) No. 1907/2006 as all its components are either excluded, exempt, and/or registered. When purchased from a legal entity outside of the EEA, please contact your local representative for additional information.
Canadian Domestic Substances List (DSL)	- Listed on Inventory
Australia Inventory of Chemical Substances (AICS)	- Listed on Inventory
Japan. CSCL - Inventory of Existing and New Chemical Substances	- Listed on Inventory
Korea. Korean Existing Chemicals Inventory (KECI)	- Listed on Inventory
China. Inventory of Existing Chemical Substances in China (IECSC)	- Listed on Inventory
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	- Listed on Inventory
Taiwan Chemical Substance Inventory (TCSI)	- One or more components not listed on inventory
New Zealand. Inventory of Chemical Substances	- All components are listed on the NZIOC inventory. The HSNO status of the product has not been assessed.

**15.2 Federal Regulations****US. EPA EPCRA SARA Title III****SARA HAZARD DESIGNATION SECTIONS 311/312 (40 CFR 370)**

Corrosive to Metals	Yes
Skin corrosion or irritation	Yes
Serious eye damage or eye irritation	Yes
Respiratory or skin sensitization	Yes

The categories not mentioned are not relevant for the product.

**Section 313 Toxic Chemicals (40 CFR 372.65)**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Section 302 Emergency Planning Extremely Hazardous Substance Threshold Planning Quantity (40 CFR 355)**

This material does not contain any components with a section 302 EHS TPQ.

**Section 302 Emergency Planning Extremely Hazardous Substance Reportable Quantity (40 CFR 355)**

PRCO90072766

Version : 3.02 / US ( Z8 )

www.solvay.com



**AERO® 407 PROMOTER, AQUEOUS**

Revision Date 06/07/2019

This material does not contain any components with a SARA 302 RQ.

**Section 304 Emergency Release Notification Reportable Quantity (40 CFR 355)**

This material does not contain any components with a section 304 EHS RQ.

**US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)**

Components	CAS-No.	Reportable quantity
Sodium hydroxide (Na(OH))	1310-73-2	1000 lb
1-Propanol, 2-methyl-	78-83-1	5000 lb

**15.3 State Regulations****US. California Safe Drinking Water & Toxic Enforcement Act (Proposition 65)**

Please contact your local sales representative if you have questions and need more information concerning this product under California's Proposition 65 statute ([www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)).

**SECTION 16: Other information****NFPA (National Fire Protection Association) - Classification**

Health	3 serious
Flammability	1 slight
Instability or Reactivity	0 minimal

**Date Prepared:** 06/07/2019

**Key or legend to abbreviations and acronyms used in the safety data sheet**

- C	Ceiling limit
- TWA	8-hour time weighted average
- ACGIH	American Conference of Governmental Industrial Hygienists
- OSHA	Occupational Safety and Health Administration
- NTP	National Toxicology Program
- IARC	International Agency for Research on Cancer
- NIOSH	National Institute for Occupational Safety and Health

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose, and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in any other manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.